



## Lower Key Stage 2 Calculations Policy

## **KEY STAGE 2**

In Years 3 and 4, children develop the basis of written methods by building their skills alongside a deep understanding of place value. They should use known addition/subtraction and multiplication/division facts to calculate efficiently and accurately, rather than relying on counting. Children use place value equipment to support their understanding, but not as a substitute for thinking.

Key language: partition, place value, tens, hundreds, thousands, column method, whole, part, equal groups, sharing, grouping, bar model

Addition and subtraction: In Year 3 especially, the column methods are built up gradually. Children will develop their understanding of how each stage of the calculation, including any exchanges, relates to place value. The example calculations chosen to introduce the stages of each method may often be more suited to a mental method. However, the examples and the progression of the steps have been chosen to help children develop their fluency in the process, alongside a deep understanding of the concepts and the numbers involved, so that they can apply these skills accurately and efficiently to later calculations. The class should be encouraged to compare mental and written methods for specific calculations, and children should be encouraged at every stage to make choices about which methods to apply.

In Year 4, the steps are shown without such fine detail, although children should continue to build their understanding with a secure basis in place value. In subtraction, children will need to develop their understanding of exchange as they may need to exchange across one or two columns. By the end of Year 4, children should have developed fluency in column methods alongside a deep understanding, which will allow them to progress confidently in upper Key Stage 2.

Multiplication and division: Children build a solid grounding in times-tables, understanding the multiplication and division facts in tandem. As such, they should be as confident knowing that 35 divided by 7 is 5 as knowing that 5 times 7 is 35. Children develop key skills to support multiplication methods: unitising, commutativity, and how to use partitioning effectively. Unitising allows children to use known facts to multiply and divide multiples of 10 and 100 efficiently. Commutativity gives children flexibility in applying known facts to calculations and problem solving. An understanding of partitioning allows children to extend their skills to multiplying and dividing 2- and 3-digit numbers by a single digit.

Children develop column methods to support multiplications in these cases.

For successful division, children will need to make choices about how to partition. For example, to divide 423 by 3, it is effective to partition 423 into 300, 120 and 3, as these can be divided by 3 using known facts.

Children will also need to understand the concept of remainder, in terms of a given calculation and in terms of the context of the problem. **Fractions:** Children develop the key concept of equivalent fractions, and link this with multiplying and dividing the numerators and denominators, as well as exploring the visual concept through fractions of shapes. Children learn how to find a fraction of an amount, and develop this with the aid of a bar model and other representations alongside.

in Year 3, children develop an understanding of how to add and subtract fractions with the same denominator and find complements to the whole. This is developed alongside an understanding of fractions as numbers, including fractions greater than 1. In Year 4, children begin to work with fractions greater than 1.

Decimals are introduced, as tenths in Year 3 and then as hundredths in Year 4. Children develop an understanding of decimals in terms of the relationship with fractions, with dividing by 10 and 100, and also with place value.


|  | Year 3   |  |   |
|--|--|--|---|
|  | Concrete   | Pictorial  | Abstract  |
| Year 3<br>Addition                       |  |  |   |
| Understanding<br>100s                    | Understand the cardinality of 100, and the<br>link with 10 tens.<br>Use cubes to place into groups of 10 tens. | Unitise 100 and count in steps of 100.   | Represent steps of 100 on a number line and a number track and count up to 1,000 and back to 0.         0       100       200       300       600       700         500       400       200       0       0       0 |
| Understanding<br>place value to<br>1,000 | Unitise 100s, 10s and 1s to build 3-digit<br>numbers.  | Use equipment to represent numbers to<br>1,000.<br>200<br>240<br>241<br>Use a place value grid to support the<br>structure of numbers to 1,000.<br>Place value counters are used alongside<br>other equipment. Children should<br>understand how each counter represents a<br>different unitised amount. | Represent the parts of numbers to 1,000<br>using a part-whole model.<br>215<br>200 $10$ $5215 = 200 + 10 + 5Recognise numbers to 1,000 representedon a number line, including those betweenintervals.$              |
| Adding 100s                              | Use known facts and unitising to add multiples of 100.   | Use known facts and unitising to add multiples of 100.   | Use known facts and unitising to add multiples of 100.  |

|   | 100 bricks $100$ bricks $100$ bricks $100$ bricks $3 + 2 = 5$ $3 + 2 = 5$ $3 + 2 + 2 + 100$ bricks $3 + 2 = 5$ $3 + 2 + 2 + 100$ bricks $300 + 200 = 500$  | 3 + 4 = 7<br>3 hundreds + 4 hundreds = 7 hundreds<br>300 + 400 = 700  | Represent the addition on a number line.<br>Use a part-whole model to support unitising.<br>3 + 2 = 5<br>300 + 200 = 500   |
|---|--|---|--|
| 3-digit number<br>+ 1s, no<br>exchange or<br>bridging | Use number bonds to add the 1s.<br><b>Use number bonds to add the 1s.</b><br><b>Use number bonds to add the 1s.</b><br><b>Use number bonds to add the 1s.</b><br>4 + 4 = ?<br>Now there are 4 + 4 ones in total.<br>4 + 4 = 8<br>214 + 4 = 218 | Use number bonds to add the 1s.<br>$\begin{array}{c c} H & T & O \\ \hline                                  $ | Understand the link with counting on.<br>245 + 4<br>245 + 4<br>245 + 4<br>245 + 4 = 247<br>248 + 249 + 250<br>Use number bonds to add the 1s and<br>understand that this is more efficient and<br>less prone to error.<br>245 + 4 = ?<br>1  will add the 1s.<br>5 + 4 = 9<br>So, 245 + 4 = 249 |

| + 1s with<br>exchange more, this requires an exchange of 10 ones<br>for 1 ten.<br>Children should explore this using unitised<br>objects or physical apparatus. | Exchange 10 ones for 1 ten where needed.<br>Use a place value grid to support the<br>understanding.<br>$\begin{array}{c c} \hline H & T & O \\ \hline H & T & O \\ \hline \hline H & T & O \\ \hline \hline$ | Understand how to bridge by partitioning to<br>the 1s to make the next 10.<br>7 $5$ $2$ $1$ $1$ $1$ $1$ $1$ $1$ $1$ $1$ $1$ $1$ |
|---|--|---|
|---|--|---|

| 3-digit number<br>+ 10s, no<br>exchange   | Calculate mentally by forming the number<br>bond for the 10s.          | Calculate mentally by forming the number<br>bond for the 10s.<br>$351 + 30 = ?$ $\begin{array}{c} & & \\ \hline \\ \hline$ | Calculate mentally by forming the number<br>bond for the 10s.<br>753 + 40<br><i>I know that</i> 5 + 4 = 9<br>So, 50 + 40 = 90<br>753 + 40 = 793   |
|---|--|--|---|
| 3-digit number<br>+ 10s, with<br>exchange | 234 + 50 = 284<br>Understand the exchange of 10 tens for 1<br>hundred. | Add by exchanging 10 tens for 1 hundred.<br>184 + 20 = ?<br>H T O<br>0000<br>H T O<br>0000<br>H T O<br>0000<br>H T O<br>0000<br>184 + 20 = 204   | Understand how the addition relates to<br>counting on in 10s across 100.<br>100<br>184 + 20 = ?<br>$1can count in 10s \dots 194 \dots 204$<br>184 + 20 = 204<br>Use number bonds within 20 to support<br>efficient mental calculations.<br>385 + 50<br>There are 8 tens and 5 tens.<br>That is 13 tens.<br>385 + 50 = 300 + 130 + 5<br>385 + 50 = 435 |

| 3-digit number<br>+ 2-digit<br>number                          | Use place value equipment to make and combine groups to model addition.   | Use a place value grid to organise thinking and adding of 1s, then 10s.  | Use the vertical column method to<br>represent the addition. Children must<br>understand how this relates to place value<br>at each stage of the calculation.  |
|--|---|--|--|
| 3-digit number<br>+ 2-digit<br>number,<br>exchange<br>required | Use place value equipment to model<br>addition and understand where exchange is<br>required.<br>Use place value counters to represent<br>154 + 72.<br>Use this to decide if any exchange is<br>required.<br>There are 5 tens and 7 tens. That is 12 tens<br>so I will exchange. | Represent the required exchange on a place value grid using equipment.<br>275 + 16 = ? $I = T = 0$ $I = 0$ | Use a column method with exchange.<br>Children must understand how the method<br>relates to place value at each stage of the<br>calculation.<br>$\frac{H T O}{2 7 5}$ $\frac{H T O}{1}$ $\frac{H T O}{2 7 5}$ $\frac{H T O}{1 6}$ $\frac{H T O}{2 7 5}$ $\frac{1 6}{2 9 1}$ $275 + 16 = 291$ |



| Representing<br>addition<br>problems, and<br>selecting<br>appropriate<br>methods | Encourage children to use their own<br>drawings and choices of place value<br>equipment to represent problems with one<br>or more steps.<br>These representations will help them to<br>select appropriate methods. | Children understand and create bar models<br>to represent addition problems.<br>275 + 99 = ?<br>374<br>275 99 = 374<br>275 + 99 = 374 | Use representations to support choices of appropriate methods.<br>275 99<br>1 will add 100, then subtract 1 to find the solution.<br>128 + 105 + 83 = ?<br>1 need to add three numbers.<br>128 + 105 = 233<br>233<br>128 = 105 83<br>316<br>1233 83 |
|--|--|---|---|
| Year 3<br>Subtraction  |  |   |   |
| Subtracting<br>100s  | Use known facts and unitising to subtract<br>multiples of 100.<br>100<br>bricks<br>100<br>bricks<br>5 - 2 = 3<br>500 - 200 = 300   | Use known facts and unitising to subtract multiples of 100.<br>4 - 2 = 2<br>400 - 200 = 200   | Understand the link with counting back in<br>100s.<br>100 $100$ $200$ $300$ $400$ $500400 - 200 = 200Use known facts and unitising as efficientand accurate methods.1$ know that $7 - 4 = 3$ . Therefore, 1 know that<br>700 - 400 = 300.           |

| 3-digit number<br>- 1s, no<br>exchange                      | Use number bonds to subtract the 1s.<br>Use number bonds to subtract the 1s.<br>214 - 3 = ?<br>4 - 3 = 1<br>214 - 3 = 211 | Use number bonds to subtract the 1s.<br>$\begin{array}{c c} H & T & O \\ \hline  & & & & \\  & & & & \\  & & & & \\  & & & &$ | Understand the link with counting back<br>using a number line.<br>Use known number bonds to calculate<br>mentally.<br>476 - 4 = ?<br>476<br>476<br>476<br>476<br>6 - 4 = 2<br>476 - 4 = 472 |
|---|---|---|---|
| 3-digit number<br>– 1s, exchange<br>or bridging<br>required | Understand why an exchange is necessary<br>by exploring why 1 ten must be exchanged.<br>Use place value equipment.        | Represent the required exchange on a place value grid.<br>151 - 6 = ?<br>H T O<br>H T O<br>H T O<br>H T O<br>NNNNN<br>NNNNNNNNNNNNNNNNNNNNNNNNNNNNN   | Calculate mentally by using known bonds.<br>151 - 6 = ?<br>151 - 1 - 5 = 145  |

| 3-digit number<br>− 10s, no<br>exchange                         | Subtract the 10s using known bonds.                                  | Subtract the 10s using known bonds.<br>H T O<br>B tens - 1 ten = 7 tens<br>381 - 10 = 371 | Use known bonds to subtract the 10s<br>mentally.<br>372 - 50 = ?<br>70 - 50 = 20<br>So, 372 - 50 = 322   |
|---|--|---|--|
|   | 8 tens with 1 removed is 7 tens.<br>381 – 10 = 371                   |   |  |
| 3-digit number<br>− 10s,<br>exchange or<br>bridging<br>required | Use equipment to understand the exchange of 1 hundred for 10 tens. → | Represent the exchange on a place value<br>grid using equipment.<br>210 - 20 = ?          | Understand the link with counting back on a number line.<br>Use flexible partitioning to support the calculation.<br>235 - 60 = ?<br>235 - 60 = ?<br>235 = 100 + 130 + 5<br>235 - 60 = 100 + 70 + 5<br>= 175 |

| 3-digit number<br>- up to 3-digit<br>number                          | Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away. | Represent the calculation on a place value<br>grid.   | Use column subtraction to calculate<br>accurately and efficiently.<br>$\frac{H T O}{q q q}$ $-\frac{3 5 2}{7}$ $\frac{H T O}{q q q}$ $-\frac{3 5 2}{-4 7}$ $\frac{H T O}{q q q}$ $-\frac{3 5 2}{-4 7}$  |
|--|--|---|---|
| 3-digit number<br>– up to 3-digit<br>number,<br>exchange<br>required | Use equipment to enact the exchange of 1 hundred for 10 tens, and 1 ten for 10 ones.   | Model the required exchange on a place<br>value grid.<br>175 - 38 = ?<br>I need to subtract 8 ones, so I will exchange<br>a ten for 10 ones.<br>H T O | Use column subtraction to work accurately<br>and efficiently.<br>$\frac{H T O}{1 + \frac{6}{15} + \frac{3}{5}}$ $-\frac{3 \cdot 8}{1 \cdot 3 \cdot 7}$ If the subtraction is a 3-digit number<br>subtract a 2-digit number, children should<br>understand how the recording relates to the<br>place value, and so how to line up the digits<br>correctly.<br>Children should also understand how to<br>exchange in calculations where there is a<br>zero in the 10s column. |

|   | H     T     O       Image: Description of the second seco | H T O<br>5 0 6<br>- <u>3 2 8</u>  |
|---|---|---|
| Representing<br>subtraction<br>problems | Use bar models to represent subtractions.<br>'Find the difference' is represented as two<br>bars for comparison.<br>Team A 454<br>Team B 128 ?<br>Bar models can also be used to show that a<br>part must be taken away from the whole.   | Children use alternative representations to<br>check calculations and choose efficient<br>methods.<br>Children use inverse operations to check<br>additions and subtractions.<br>The part-whole model supports<br>understanding.<br><i>I have completed this subtraction.</i><br>525 - 270 = 255<br><i>I will check using addition.</i><br>$\int_{270}^{525} I = 255$ |

| Year 3<br>Multiplication   |   |  |   |
|--|---|--|---|
| Understanding<br>equal grouping<br>and repeated<br>addition                      | Children continue to build understanding of<br>equal groups and the relationship with<br>repeated addition.<br>They recognise both examples and non-<br>examples using objects.<br>Children recognise that arrays can be used<br>to model commutative multiplications.<br>Children recognise that arrays can be used<br>to model commutative multiplications. | Children recognise that arrays demonstrate<br>commutativity.<br>This is 3 groups of 4.<br>This is 4 groups of 3. | Children understand the link between<br>repeated addition and multiplication.<br>$\begin{array}{r} +3 & +3 & +3 & +3 & +3 & +3 & +3 \\ \hline 0 & 3 & 6 & q & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 4 & 1 & 4 & 1 & 4 & 14 & 4 \\ \hline 0 & 4 & 1 & 4 & 1 & 4 & 14 & 4 \\ \hline 0 & 5 & 7 & 10 & 10 & 10 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 21 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 18 & 24 & 24 \\ \hline 0 & 1 & 12 & 15 & 1$ |
| Using<br>commutativity<br>to support<br>understanding<br>of the times-<br>tables | Understand how to use times-tables facts flexibly.  | Understand how times-table facts relate to commutativity.  | Understand how times-table facts relate to<br>commutativity.<br><i>I need to work out 4 groups of 7.</i><br><i>I know that 7 × 4 = 28</i><br><i>so, I know that</i><br><i>4 groups of 7 = 28</i>  |

|   | There are 6 groups of 4 pens.<br>There are 4 groups of 6 bread rolls.<br>I can use 6 × 4 = 24 to work out both totals.               | 4 × 6 = 24   | and<br>7 groups of 4 = 28.  |
|---|--|--|---|
| Understanding<br>and using ×3,<br>×2, ×4 and ×8<br>tables.        | Children learn the times-tables as 'groups<br>of', but apply their knowledge of<br>commutativity.                                    | Children understand how the $\times 2$ , $\times 4$ and $\times 8$ tables are related through repeated doubling. | Children understand the relationship<br>between related multiplication and division<br>facts in known times-tables.<br>$2 \times 5 = 10$<br>$5 \times 2 = 10$<br>$10 \div 5 = 2$<br>$10 \div 2 = 5$ |
| Using known<br>facts to<br>multiply 10s,<br>for example<br>3 × 40 | Explore the relationship between known times-tables and multiples of 10 using place value equipment. <i>Make 4 groups of 3 ones.</i> | Understand how unitising 10s supports multiplying by multiples of 10.  | Understand how to use known times-tables<br>to multiply multiples of 10.<br>$\begin{array}{c} +2 \\ +2 \\ +2 \\ +1 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \end{array}$                             |

|   | Make 4 groups of 3 tens.   | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  | $\begin{array}{c} +20 +20 +20 +20 \\ \hline 0 & 10 & 20 & 30 & 40 & 50 & 60 & 70 & 80 \\ 4 \times 2 = 8 \\ 4 \times 20 = 80 \end{array}$   |
|---|--|--|--|
| Multiplying a<br>2-digit number<br>by a 1-digit<br>number | Understand how to link partitioning a 2-digit<br>number with multiplying.<br>Each person has 23 flowers.<br>Each person has 2 tens and 3 ones. | Use place value to support how partitioning<br>is linked with multiplying by a 2-digit<br>number.<br>$3 \times 24 = ?$<br>TO<br>$3 \times 4 = 12$<br>TO<br>$3 \times 4 = 12$<br>TO<br>$3 \times 20 = 60$ | Use addition to complete multiplications of<br>2-digit numbers by a 1-digit number.<br>$4 \times 13 = ?$<br>$4 \times 3 = 12$ $4 \times 10 = 40$<br>12 + 40 = 52<br>$4 \times 13 = 52$ |

|  | TOImage: Second stateImage: Second state <th>60 + 12 = 72<br/>3 × 24 = 72</th> <th></th> | 60 + 12 = 72<br>3 × 24 = 72  |   |
|--|--|--|---|
| Multiplying a<br>2-digit number<br>by a 1-digit<br>number,<br>expanded<br>column<br>method | Use place value equipment to model how<br>10 ones are exchanged for a 10 in some<br>multiplications.<br>$3 \times 24 = ?$<br>$3 \times 20 = 60$<br>$3 \times 4 = 12$<br>4 = 12<br>4 = 12<br>$3 \times 24 = 60$<br>$3 \times 24 = 60 + 12$<br>$3 \times 24 = 70 + 2$<br>$3 \times 24 = 72$  | Understand that multiplications may require<br>an exchange of 1s for 10s, and also 10s for<br>100s.<br>$4 \times 23 = ?$<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION<br>TOTION | Children may write calculations in expanded<br>column form, but must understand the link<br>with place value and exchange.<br>Children are encouraged to write the<br>expanded parts of the calculation<br>separately.<br>$\boxed{\frac{T}{0}} \\ \hline{0} \hline \hline{0} \\ \hline{0} \hline \hline{0} \\ \hline{0} \hline \hline \hline{0} \hline \hline \hline{0} \hline \hline{0} \hline \hline$ |


|  | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ |  |
|--|--|--|
|  |  |  |

| Year 3<br>Division                               |  |  |  |
|--|--|--|--|
| Using times-<br>tables<br>knowledge to<br>divide | Use knowledge of known times-tables to<br>calculate divisions.<br>24 divided into groups of 8.<br>There are 3 groups of 8. | Use knowledge of known times-tables to<br>calculate divisions. | Use knowledge of known times-tables to<br>calculate divisions.<br>I need to work out 30 shared between 5.<br>I know that $6 \times 5 = 30$<br>so I know that $30 \div 5 = 6$ .<br>A bar model may represent the relationship<br>between sharing and grouping.<br>24<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 |


| Understanding<br>remainders                                      | Use equipment to understand that a remainder occurs when a set of objects cannot be divided equally any further.                     | Use images to explain remainders.                                  | Understand that the remainder is what<br>cannot be shared equally from a set.<br>$22 \div 5 = ?$<br>$3 \times 5 = 15$<br>$4 \times 5 = 20$<br>$5 \times 5 = 25 \dots$ this is larger than 22<br>So, $22 \div 5 = 4$ remainder 2 |
|--|--|--|---|
| Using known<br>facts to divide<br>multiples of 10                | Use place value equipment to understand<br>how to divide by unitising.<br>Make 6 ones divided by 3.<br>Now make 6 tens divided by 3. | Divide multiples of 10 by unitising.                               | Divide multiples of 10 by a single digit using<br>known times-tables.<br>$180 \div 3 = ?$<br>180  is  18  tens.<br>18  divided by  3  is  6.<br>18  tens divided by  3  is  6  tens.<br>$18 \div 3 = 6$<br>$180 \div 3 = 60$    |
| 2-digit number<br>divided by<br>1-digit number,<br>no remainders | Children explore dividing 2-digit numbers by<br>using place value equipment.   | Children explore which partitions support<br>particular divisions. | Children partition a number into 10s and 1s<br>to divide where appropriate.<br>68 $60 + 2 = 30$ $8 + 2 = 4$ $30 + 4 = 34$ $68 + 2 = 34$ Children partition flexibly to divide where<br>appropriate.                             |

|   | Then divide the 1s.  | 42 = 30 + 12<br>42 = 30 + 12<br>42 + 3 = 14   | $42 \div 3 = ?$<br>42 = 40 + 2<br><i>I need to partition 42 differently to divide</i><br>by 3.<br>42 = 30 + 12<br>$30 \div 3 = 10$<br>$12 \div 3 = 4$<br>10 + 4 = 14<br>$42 \div 3 = 14$  |
|---|--|---|---|
| 2-digit number<br>divided by<br>1-digit number,<br>with<br>remainders | Use place value equipment to understand<br>the concept of remainder.<br>Make 29 from place value equipment.<br>Share it into 2 equal groups.<br>There are two groups of 14 and<br>1 remainder. | Use place value equipment to understand<br>the concept of remainder in division.<br>29 ÷ 2 = ?<br>29 ÷ 2 = 14 remainder 1 | Partition to divide, understanding the<br>remainder in context.<br>67 children try to make 5 equal lines.<br>67 = 50 + 17<br>50 ÷ 5 = 10<br>17 ÷ 5 = 3 remainder 2<br>67 ÷ 5 = 13 remainder 2<br>There are 13 children in each line and<br>2 children left out. |

|   | Year 4  |   |  |  |
|---|---|---|--|--|
|   | Concrete  | Pictorial   | Abstract   |  |
| Year 4<br>Addition                                    |   |   |  |  |
| Understanding<br>numbers to<br>10,000                 | Use place value equipment to understand<br>the place value of 4-digit numbers.  | Represent numbers using place value<br>counters once children understand the<br>relationship between 1,000s and 100s.<br>2,000 + 500 + 40 + 2 = 2,542   | Understand partitioning of 4-digit numbers,<br>including numbers with digits of 0.<br>5,000 + 60 + 8 = 5,068<br>Understand and read 4-digit numbers on a<br>number line. |  |
| Choosing<br>mental<br>methods<br>where<br>appropriate | Use unitising and known facts to support<br>mental calculations.<br><i>Make 1,405 from place value equipment.</i><br><i>Add 2,000.</i><br><i>Now add the 1,000s.</i><br><i>1 thousand + 2 thousands = 3 thousands</i><br><i>1,405 + 2,000 = 3,405</i> | Use unitising and known facts to support<br>mental calculations.<br>$\begin{array}{c c} \hline Th & H & T & 0 \\ \hline \hline$ | Use unitising and known facts to support<br>mental calculations.<br>4,256 + 300 = ?<br>2 + 3 = 5 200 + 300 = 500<br>4,256 + 300 = 4,556                                  |  |




| Representing<br>additions and<br>checking<br>strategies |  | Bar models may be used to represent<br>additions in problem contexts, and to justify<br>mental methods where appropriate.  | Use rounding and estimating on a number line to check the reasonableness of an addition.   |
|---|--|--|--|
| Strategies  |  | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$   | <pre>0 1.000 2.000 3.000 4.000 5.000 6.000 7.000 8.000 9.000 10.000 912 + 6,149 = ? I used rounding to work out that the answer should be approximately 1,000 + 6,000 = 7,000.</pre> |
|   |  | This is equivalent to 3,000 + 3,000.   |  |
| Year 4<br>Subtraction                                   |  |  |  |
| Choosing<br>mental<br>methods<br>where<br>appropriate   | Use place value equipment to justify mental methods. | Use place value grids to support mental methods where appropriate.<br>Th H T O<br>Th O<br>Th H T O<br>Th O<br>Th H T O<br>Th | Use knowledge of place value and unitising<br>to subtract mentally where appropriate.<br>3,501 - 2,000<br>3 thousands - 2 thousands = 1 thousand<br>3,501 - 2,000 = 1,501            |



|  |  | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$  |
|--|--|--|
| Representing<br>subtractions<br>and checking<br>strategies | Use bar models to represent subtractions<br>where a part needs to be calculated.<br>Total<br>5,762<br>7 2,899<br>Yes votes No votes<br><i>I can work out the total number of Yes votes</i><br><i>using</i> 5,762 - 2,899.<br>Bar models can also represent 'find the<br>difference' as a subtraction problem.<br>Danny 899<br>Luis 1,005 | Use inverse operations to check<br>subtractions.<br>I calculated 1,225 - 799 = 574.<br>I will check by adding the parts.<br>$ \begin{array}{r} \hline 1,225 \\ \hline 799 \\ \hline$ |


| Year 4<br>Multiplication                       |  |  |   |
|--|--|--|---|
| Multiplying by<br>multiples of 10<br>and 100   | Use unitising and place value equipment to<br>understand how to multiply by multiples of<br>1, 10 and 100. | Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.   | Use known facts and understanding of<br>place value and commutativity to multiply<br>mentally.  |
|  | 3 groups of 4 ones is 12 ones.<br>3 groups of 4 tens is 12 tens.<br>3 groups of 4 hundreds is 12 hundreds. | 3 × 4 = 12<br>3 × 40 = 120<br>3 × 400 = 1,200  | 4 × 7 = 28<br>4 × 70 = 280<br>40 × 7 = 280<br>4 × 700 = 2,800<br>400 × 7 = 2,800  |
| Understanding<br>times-tables<br>up to 12 × 12 | Understand the special cases of multiplying<br>by 1 and 0.<br>$5 \times 1 = 5$ $5 \times 0 = 0$            | Represent the relationship between the ×9<br>table and the ×10 table.<br>Represent the ×11 table and ×12 tables in<br>relation to the ×10 table.<br>$2 \times 11 = 20 + 2$<br>$3 \times 11 = 30 + 3$<br>$4 \times 12 = 40 + 8$ | Understand how times-tables relate to<br>counting patterns.<br>Understand links between the<br>×3 table, ×6 table and ×9 table<br>$5 \times 6$ is double $5 \times 3$<br>×5 table and ×6 table<br><i>I know that</i> $7 \times 5 = 35$<br>so <i>I know that</i> $7 \times 6 = 35 + 7$ .<br>×5 table and ×7 table<br>$3 \times 7 = 3 \times 5 + 3 \times 2$<br>$3 \times 5$<br>$3 \times 7$<br>×9 table and ×10 table<br>$6 \times 10 = 60$<br>$6 \times 9 = 60 - 6$ |

| Understanding<br>and using<br>partitioning in<br>multiplication                                 | Make multiplications by partitioning.<br>4 × 12 is 4 groups of 10 and 4 groups of 2.                                    | Understand how multiplication and<br>partitioning are related through addition.<br>$0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$ | Use partitioning to multiply 2-digit numbers<br>by a single digit.<br>$18 \times 6 = ?$<br>$18 \times 6 = ?$<br>$18 \times 6 = ?$<br>$18 \times 6 = 10 \times 6 + 8 \times 6$<br>= 108<br>$18 \times 6 = 10 \times 6 + 8 \times 6$<br>= 60 + 48<br>= 108   |
|---|---|--|--|
| Column<br>multiplication<br>for 2- and<br>3-digit<br>numbers<br>multiplied by a<br>single digit | Use place value equipment to make<br>multiplications.<br>Make 4 × 136 using equipment.<br>Make 4 × 136 using equipment. | Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.                     | Use the formal column method for up to<br>3-digit numbers multiplied by a single digit.<br>$3  1  2$ $\times  3$ $\frac{3  1  2}{4  3  6}$ Understand how the expanded column<br>method is related to the formal column<br>method and understand how any<br>exchanges are related to place value at<br>each stage of the calculation.<br>$2  3$ $\frac{2  3}{5  1  5}$ $\frac{2  3}{5  1  5}$ $\frac{2  3}{5  1  5}$ |



| Year 4<br>Division  |  |   |  |
|---|--|---|--|
| Understanding<br>the<br>relationship<br>between<br>multiplication<br>and division,<br>including<br>times-tables | Use objects to explore families of<br>multiplication and division facts.   | Represent divisions using an array.   | Understand families of related multiplication<br>and division facts.<br><i>I know that</i> $5 \times 7 = 35$<br><i>so I know all these facts:</i><br>$5 \times 7 = 35$<br>$7 \times 5 = 35$<br>$35 = 5 \times 7$<br>$35 = 7 \times 5$<br>$35 \div 7 = 5$<br>$7 = 35 \div 5$<br>$5 = 35 \div 7$ |
| Dividing<br>multiples of 10<br>and 100 by a<br>single digit   | Use place value equipment to understand<br>how to use unitising to divide. | Represent divisions using place value<br>equipment.<br>$q_{+3}=$<br>$q_{0+3}=$<br>$q_{0+3}=$<br>$q_{0+3}=$<br>$q_{0+3}=$<br>$q_{0+3}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{0}=$<br>$q_{$ | Use known facts to divide 10s and 100s by<br>a single digit.<br>$15 \div 3 = 5$<br>$150 \div 3 = 50$<br>$1500 \div 3 = 500$  |

| Dividing 2-digit<br>and 3-digit<br>numbers by a<br>single digit by<br>partitioning<br>into 100s, 10s<br>and 1s | Partition into 10s and 1s to divide where<br>appropriate.<br>$39 \div 3 = ?$<br>$39 \div 3 = ?$<br>$3 \times 10 = 30$<br>$3 \times 3 = 9$<br>$30 \div 3 = 10$<br>$9 \div 3 = 3$<br>$39 \div 3 = 13$ | Partition into 100s, 10s and 1s using Base<br>10 equipment to divide where appropriate.<br>$39 \div 3 = ?$<br>$39 \div 3 = ?$<br>3  groups of I ten<br>3  groups of 3 ones<br>39 = 30 + 9<br>$30 \div 3 = 10$<br>$9 \div 3 = 3$<br>$39 \div 3 = 13$ | Partition into 100s, 10s and 1s using a part-<br>whole model to divide where appropriate.<br>$142 \div 2 = ?$ $442 \div 2 = ?$ $440 \div 2 = 6 \div 2 = 1$ $100 \div 2 = 50$ $40 \div 2 = 20$ $6 \div 2 = 3$ $50 \div 20 \div 3 = 73$ $142 \div 2 = 73$ |
|--|---|---|---|
| Dividing 2-digit<br>and 3-digit<br>numbers by a<br>single digit,<br>using flexible<br>partitioning             | Use place value equipment to explore why<br>different partitions are needed.<br>42 ÷ 3 = ?<br>I will split it into 30 and 12, so that I can<br>divide by 3 more easily.                             | Represent how to partition flexibly where<br>needed.<br>$84 \div 7 = ?$<br><i>I will partition into 70 and 14 because I am</i><br><i>dividing by 7.</i><br>$70 \div 7 = 10$<br>$14 \div 7 = 2$<br>$84 \div 7 = 12$                                  | Make decisions about appropriate<br>partitioning based on the division required.<br>$\begin{array}{cccccccccccccccccccccccccccccccccccc$  |



Griffe Field Primary Lower Key Stage 2 Calculations Policy