



# Key Stage One Calculations Policy

### **KEY STAGE 1**

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.

**Key language:** whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

Addition and subtraction: Children first learn to connect addition and subtraction with counting. but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with 15 - 3 and 15 - 13, they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods.

In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.


**Multiplication and division:** Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division.

They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation. In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations.


Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.

Fractions: In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole. In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.


|                    | Year 1  |   |   |  |  |
|--------------------|---|---|---|--|--|
|                    | Concrete  | Pictorial   | Abstract  |  |  |
| Year 1<br>Addition | Counting and adding more Children add one more person or object to a group to find one more.  | Counting and adding more Children add one more cube or counter to a group to represent one more.  | Counting and adding more Use a number line to understand how to link counting on with finding one more.               |  |  |
|                    |   | 0000  | One more 0 1 2 3 4 5 6 7 8 9 10   |  |  |
|                    |   | One more than 4 is 5.   | One more than 6 is 7.<br>7 is one more than 6.  |  |  |
|                    |   |   | Learn to link counting on with adding more than one.  |  |  |
|                    | Understanding part-part-whole relationship Sort people and objects into parts and understand the relationship with the whole.  The parts are 2 and 4. The whole is 6. | Understanding part-part-whole relationship Children draw to represent the parts and understand the relationship with the whole.  The parts are 1 and 5. The whole is 6. | Understanding part-part-whole relationship Use a part-whole model to represent the numbers.  10 6 + 4 = 10 6 + 4 = 10 |  |  |
|                    | Knowing and finding number bonds  | Knowing and finding number bonds  | Knowing and finding number bonds  |  |  |



Children use knowledge of counting to 20 to Children use number lines or number tracks Children use counters to support and find a total by counting on using people or represent their counting on strategy. to support their counting on strategy. objects. 7 7 on the bus 7 + 5 = the bus Adding the 1s Adding the 1s Adding the 1s Children use bead strings to recognise how Children represent calculations using ten Children recognise that a teen is made from to add the 1s to find the total efficiently. frames to add a teen and 1s. a 10 and some 1s and use their knowledge of addition within 10 to work efficiently. -----3 + 5 = 82 + 3 = 5So. 13 + 5 = 1812 + 3 = 152 + 3 = 512 + 3 = 15Bridging the 10 using number bonds Bridging the 10 using number bonds Bridging the 10 using number bonds Children use a bead string to complete a 10 Children use counters to complete a ten Use a part-whole model and a number line and understand how this relates to the frame and understand how they can add to support the calculation. using knowledge of number bonds to 10. addition. -00000000000 7 add 3 makes 10. So, 7 add 5 is 10 and 2 more. 9 10 11 12 13 9 + 4 = 13Year 1 Counting back and taking away Counting back and taking away Counting back and taking away



Children understand 'find the difference' as Arrange two groups so that the difference Represent objects using sketches or between the groups can be worked out. counters to support finding the difference. subtraction. 0 1 2 3 4 5 6 7 8 9 10 10 - 4 = 6The difference between 10 and 6 is 4. 5 - 4 = 18 is 2 more than 6. The difference between 5 and 4 is 1. 6 is 2 less than 8. The difference between 8 and 6 is 2. Subtraction within 20 Subtraction within 20 Subtraction within 20 Understand how to use knowledge of bonds Understand when and how to subtract 1s Understand when and how to subtract 1s efficiently. efficiently. within 10 to subtract efficiently. Use a bead string to subtract 1s efficiently. 5 - 3 = 215 - 3 = 12 $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$ **999999999** 5 - 3 = 25 - 3 = 215 - 3 = 1215 - 3 = 12Subtracting 10s and 1s Subtracting 10s and 1s Subtracting 10s and 1s Use a part-whole model to support the For example: 18 - 12 For example: 18 - 12 calculation. Subtract 12 by first subtracting the 10, then Use ten frames to represent the efficient the remaining 2. method of subtracting 12. 10 19 - 1419 - 10 = 99 - 4 = 5First subtract the 10, then take away 2. First subtract the 10, then subtract 2. So. 19 - 14 = 5Subtraction bridging 10 using number Subtraction bridging 10 using number Subtraction bridging 10 using number bonds bonds bonds



equal groups.

and find how many equal groups of a certain size can be made.


Sort a whole set people and objects into



There are 10 children altogether. There are 2 in each group. There are 5 groups. equal groups.




There are 10 in total. There are 5 in each group. There are 2 groups. steps of 2, 5 or 10.



## Sharing

Share a set of objects into equal parts and work out how many are in each part.



# Sharing


Sketch or draw to represent sharing into equal parts. This may be related to fractions.



### Sharing

10 shared into 2 equal groups gives 5 in each group.

|                             | Year 2  |  |  |  |  |
|-----------------------------|---|--|--|--|--|
|                             | Concrete  | Pictorial  | Abstract   |  |  |
| Year 2<br>Addition          |   |  |  |  |  |
| Understanding<br>10s and 1s | Group objects into 10s and 1s.  Bundle straws to understand unitising of 10s.                                   | Understand 10s and 1s equipment, and link with visual representations on ten frames.                                   | Represent numbers on a place value grid, using equipment or numerals.  Tens Ones  3 2  Tens Ones 4 3   |  |  |
| Adding 10s                  | Use known bonds and unitising to add 10s.  I know that 4 + 3 = 7.  So, I know that 4 tens add 3 tens is 7 tens. | Use known bonds and unitising to add 10s.    So, I know that 4 + 3 = 7.   So, I know that 4 tens add 3 tens is 7 tens. | Use known bonds and unitising to add 10s.  4 + 3 =   4 + 3 = 7  4 tens + 3 tens = 7 tens  40 + 30 = 70 |  |  |
| Adding a                    | Add the 1s to find the total. Use known   | Add the 1s.  | Add the 1s.  |  |  |



|  | in the second se | ja   | All the state of t |
|--|--|--|--|
| to a 2-digit<br>number using<br>exchange                   | T  |  | T O 2 4 8 8 3 2  |
| Adding a multiple of 10 to a 2-digit number                | Add the 10s and then recombine.  27 is 2 tens and 7 ones. 50 is 5 tens.  There are 7 tens in total and 7 ones. So, 27 + 50 is 7 tens and 7 ones.   | Add the 10s and then recombine.  66 is 6 tens and 6 ones. 66 + 10 = 76  A 100 square can support this understanding.  1 2 3 4 5 6 7 8 9 10 8 0 10 6 5 6 0 18 10 25 3 22 23 24 25 56 25 56 55 56 50 60 4 0 2 0 5 6 0 5 56 55 56 55 60 6 0 2 0 5 6 55 66 55 56 55 60 6 0 2 0 5 6 55 66 55 56 55 60 6 0 2 0 5 64 55 66 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 55 66 50 60 6 0 2 0 5 64 55 66 50 60 60 60 60 6 0 5 64 55 66 50 66 60 60 60 60 6 0 5 64 55 66 60 60 60 60 60 60 6 0 5 64 55 66 60 60 60 60 60 60 60 6 0 5 64 55 66 60 60 60 60 60 60 60 60 6 0 5 64 55 66 60 60 60 60 60 60 60 60 60 60 60 60 | Add the 10s and then recombine.<br>37 + 20 = ?<br>30 + 20 = 50<br>50 + 7 = 57<br>37 + 20 = 57  |
| Adding a<br>multiple of 10<br>to a 2-digit<br>number using | Add the 10s using a place value grid to support.   | Add the 10s using a place value grid to support.   | Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value.   |

| columns   | T O  10 10 10 10 10 10 10 10 10 10 10 10 10 1   | T O  P P P  16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total. | T O<br>I 6<br>+ 3 0<br>4 6<br>1+3=4<br>1 ten + 3 tens = 4 tens<br>16 + 30 = 46   |
|---|---|---|--|
| Adding two<br>2-digit<br>numbers                        | Add the 10s and 1s separately. $5 + 3 = 8$ There are 8 ones in total. $3 + 2 = 5$ There are 5 tens in total. $35 + 23 = 58$ | Add the 10s and 1s separately. Use a part-whole model to support.  32 +                 | Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations.  TO 17 17 17 17 17 17 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19 |
| Adding two<br>2-digit<br>numbers using<br>a place value | Add the 1s. Then add the 10s.   |   | Add the 1s. Then add the 10s.  |

| grid  | Tens Ones  William Ones  Tens Ones  William Ones  Tens Ones  William Ones   | T O 3 2 + 1 4 6 6 T O 3 2 + 1 4 4 6  |
|---|---|--|
| Adding two<br>2-digit<br>numbers with<br>exchange | Add the 1s. Exchange 10 ones for a ten. Then add the 10s.  Tens Ones  q  Tens Ones  Quantity  Tens Ones | Add the 1s. Exchange 10 ones for a ten. Then add the 10s.  TO 3 6 +2 9 5 TO 3 6 +2 9 6 5 |
| Year 2<br>Subtraction                             |   |  |

| Subtracting multiples of 10                   | Use known number bonds and unitising to subtract multiples of 10.             | Use known number bonds and unitising to subtract multiples of 10.  | Use known number bonds and unitising to subtract multiples of 10.   |
|---|---|--|---|
|   | SO SO SO SO SO SO SO  | 100  | 7 70 70 2 5 20 50   |
|   | 8 subtract 6 is 2.<br>So, 8 tens subtract 6 tens is 2 tens.                   | 10 - 3 = 7<br>So, 10 tens subtract 3 tens is 7 tens.               | 7 tens subtract 5 tens is 2 tens.<br>70 - 50 = 20   |
| Subtracting a single-digit number             | Subtract the 1s. This may be done in or out of a place value grid.            | Subtract the 1s. This may be done in or out of a place value grid. | Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds.  1   |
|   | T O   | T O  | $ \begin{array}{c c} \hline   & T & O \\ \hline   & 3 & 9 \\ \hline   & - & 3 \\ \hline   & 3 & 6 \\ \hline   & 9 - 3 = 6 \\ \hline   & 39 - 3 = 36 \end{array} $ |
| Subtracting a single-digit                    | Bridge 10 by using known bonds.   | Bridge 10 by using known bonds.                                    | Bridge 10 by using known bonds.   |
| number<br>bridging 10                         |   |  | 16 17 18 19 20 2I 22 23 24 25 26  |
|   | 35 - 6<br>I took away 5 counters, then 1 more.                                | 35 - 6 First, I will subtract 5, then 1.                           | 24 - 6 = ?<br>24 - 4 - 2 = ?  |
| Subtracting a<br>single-digit<br>number using | Exchange 1 ten for 10 ones. This may be done in or out of a place value grid. | Exchange 1 ten for 10 ones.  | Exchange 1 ten for 10 ones.   |

| exchange                                 | O GENERALISM O GEN | T O O O O O O O O O O O O O O O O O O O                                | T O Z 5 - 7 8 T O Z 5 - 7 1 8 25 - 7 = 18   |
|--|--|--|---|
| Subtracting a 2-digit number             | Subtract by taking away.  OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO  | Subtract the 10s and the 1s.  This can be represented on a 100 square. | Subtract the 10s and the 1s.  This can be represented on a number line.  -10 -10 -10 -10 -10 -10 -10 -10 -10 -1 |
| Subtracting a 2-digit number using place | Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.  | Subtract the 1s. Then subtract the 10s.                                | Using column subtraction, subtract the 1s. Then subtract the 10s.   |

|  |   |   | <del></del>  |
|--|---|---|--|
| value and columns                          | T O O O O O O O O O O O O O O O O O O O | Tens Ones   | T O 4 5 - 1 2 3 3 3 3  |
| Subtracting a 2-digit number with exchange |   | Exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.  Tens Ones  Tens Ones  Tens Ones  Tens Ones  Tens Ones  Tens Ones  Tens Ones | Using column subtraction, exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 1os.  TO 45 -27 TO 3# 15 -27 8 TO 3# 15 -27 8 TO 3# 15 -27 8 |
| Year 2<br>Multiplication                   |   |   |  |
| Equal groups                               | Recognise equal groups and write as     | Recognise equal groups using standard   | Use a number line and write as repeated  |

| and repeated<br>addition                       | repeated addition and as multiplication.  | objects such as counters and write as repeated addition and multiplication.  | addition and as multiplication.   |
|--|---|--|---|
|  | 3 groups of 5 chairs  | 000 000 000  | 0 5 10 15   |
|  | 15 chairs altogether  | 3 groups of 5<br>15 in total   | 5 + 5 + 5 = 15<br>3 × 5 = 15  |
| Using arrays to<br>represent<br>multiplication | Understand the relationship between arrays, multiplication and repeated addition.                           | Understand the relationship between arrays, multiplication and repeated addition.  | Understand the relationship between arrays, multiplication and repeated addition. |
| and support<br>understanding                   | 11111111111111111111111111111111111111  | 00000  | 0 5 10 15 20 25   |
|  | 4 groups of 5   | 4 groups of 5 5 groups of 5  | 5 × 5 = 25  |
| Understanding<br>commutativity                 | Use arrays to visualise commutativity.  | Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication. | Use arrays to visualise commutativity.  |
|  |   |  |   |
|  | I can see 6 groups of 3. I can see 3 groups of 6.   | This is 2 groups of 6 and also 6 groups of 2.  | 4+4+4+4+4=20<br>5+5+5+5=20<br>$4 \times 5 = 20$ and $5 \times 4 = 20$             |
| Learning ×2,<br>×5 and ×10<br>table facts      | Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts. | Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts.                       | Understand how the times-tables increase and contain patterns.                    |

|                    | <b>李</b> 奎                               | 00000000                                | 10                                       |
|--------------------|--|---|--|
|                    |  | 00000000                                | 10 10                                    |
|                    | 999                                      | 000000000                               | 10 10 10                                 |
|                    |  |   | 10 10 10 10                              |
|                    |  | 0 10 20 30                              | 10 10 10 10 10                           |
|                    | 2 groups of 40 40 20 20                  |   | 10 10 10 10 10 10                        |
|                    | 3 groups of 10 10, 20, 30<br>3 × 10 = 30 | 10 + 10 + 10 = 30<br>3 × 10 = 30        | 10 10 10 10 10 10                        |
|                    |  |   | 10 10 10 10 10 10 10                     |
|                    |  |   | 10 10 10 10 10 10 10 10                  |
|                    |  |   | 10 10 10 10 10 10 10 10 10               |
|                    |  |   | 10 10 10 10 10 10 10 10 10 10            |
|                    |  |   | 10 10 10 10 10 10 10 10 10 10            |
|                    |  |   | 5 × 10 = 50<br>6 × 10 = 60               |
|                    |  |   |  |
| Year 2<br>Division |  |   |  |
| Sharing            | Start with a whole and share into equal  | Represent the objects shared into equal | Use a bar model to support understanding |

